



CONTEST 32 CS

Sailboat Specifications

| | | | | | |
|----------------------|-------------------------|--------------------|-------------------------|---|--------|
| Hull Type: | Fin with rudder on skeg | | Rigging Type: | Masthead Sloop | |
| LOA: | 31.82 ft / 9.70 m | | LWL: | 25.66 ft / 7.82 m | |
| Beam: | 10.89 ft / 3.32 m | | S.A. (reported): | 389.00 ft ² / 36.14 m ² | |
| Draft (max): | | | 5.25 ft / 1.60 m | | |
| Displacement: | 14,300 lb / 6,486 kg | | Ballast: | 6,380 lb / 2,894 kg | |
| S.A./Disp.: | 10.60 | Bal./Disp.: | 44.62 | Disp./Len.: | 377.85 |
| First Built: | 1978 | Last Built: | 1985 | # Built: | 100 |
| Builder: | | | Conyplex | | |
| Designer: | | | Dick Zaal | | |

Auxiliary Power/Tanks (orig. equip.)

| | | | |
|--------------|-------------|-----------------|--------|
| Make: | Volvo Penta | Model: | MD 17C |
| Type: | Diesel | HP: | 36 |
| Fuel: | | 48 gals / 182 L | |

Sailboat Calculations

| | |
|-----------------------------------|--------|
| S.A./Disp.: | 10.60 |
| Bal./Disp.: | 44.62 |
| Disp./Len.: | 377.85 |
| Comfort Ratio: | 33.40 |
| Capsize Screening Formula: | 1.80 |
| S#: | 0.83 |

Rig and Sail Particulars

| | | | |
|--|---|----------------------------|---|
| I: | 39.30 ft / 11.98 m | J: | 10.60 ft / 3.23 m |
| P: | 34.50 ft / 10.52 m | E: | 10.50 ft / 3.20 m |
| S.A. Fore: | 208.29 ft ² / 19.35 m ² | S.A. Main: | 181.13 ft ² / 16.83 m ² |
| S.A. Total (100% Fore + Main Triangles) | 389.42 ft ² / 36.18 m ² | | |
| S.A./Disp. (calc.): | 10.61 | Est. Forestay Len.: | 40.70 ft / 12.41 m |
| Mast Height from DWL: | 46.25 ft / 14.10 m | | |

Sailboat Accommodations

| | |
|---------------|-----------------|
| Water: | 77 gals / 291 L |
|---------------|-----------------|

Sailboat Organizations

| | |
|-------------------|---------------------------|
| Designers: | Dick Zaal |
| Builders: | Contest Yachts - Conyplex |

Additional Notes

Sloop or Ketch.
Shallow draft: 4.25'